

3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273 info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #Walkin

EG0352371

Sample ID: 2308PS10031.06242 Strain: N/A Matrix: Ingestible Type: Soft Chew METRC Batch ID:

METRC Sample:

Produced: Date Received: 08/07/2023 Completed: 08/09/2023 Sample Size: - ; Batch: -

Pure Biologix Lic. # 977 Irvin St Plymouth, MI 48170

Cannabinoids

ND

37.67

Total THC (mg/unit)

Total CBD (mg/unit)

Testing Method: HPLC-DAD / SOP - PSIMTDA Date Tested: 08/09/2023

1 | Init = 1 gummy 284c

1 Unit = 1 gummy, 2.84g				
Analyte	LOQ	Mass	Mass	
	mg/unit	mg/unit	mg/g	
THCa	0.16	ND	ND	
∆9-THC	0.16	ND	ND	
∆8-THC	0.16	ND	ND	
THCVa	0.16	ND	ND	
THCV	0.16	ND	ND	
CBDa	0.16	ND	ND	
CBD	0.16	37.67	13.24	
CBDV	0.16	0.21	0.07	
CBN	0.16	10.07	3.54	
CBGa	0.16	ND	ND	
CBG	0.16	0.16	0.06	
CBC	0.16	0.23	0.08	
Total		48.34	16.99	



Total THC = THCa * 0.877 + d9-THC + d8-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Safety

Foreign Matter

Visual Exam / SOP - PSIMTDF

Pass







CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.



3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273 info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #Walkin

EG0352371

Sample ID: 2308PS10031.06242 Strain: N/A Matrix: Ingestible Type: Soft Chew METRC Batch ID:

METRC Sample:

Produced: Date Received: 08/07/2023 Completed: 08/09/2023 Sample Size: - ; Batch: -

Pure Biologix Lic. # 977 Irvin St Plymouth, MI 48170

Foreign Matter



Notes:

Date Tested: 08/08/2023 Testing Method: Visual Exam / SOP - PSIMTDF







This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

CSO

2 of 2

Pass